



Cleaning Systems

Taking care of your farm
dairy hygiene



Your solution – every day



Getting adequate cleaning turbulence through both slug formation and the precise control of air injection is important to effectively and consistently clean your milking installation.

Trombone super wash

The DeLaval trombone super wash collects water into a “slug”, which is pushed at high speed through the milkline, back to the receiver. This provides full milkline contact and therefore maximum cleaning efficiency, particularly in large milklines.

Rotary Solutions:

DeLaval candle cluster cleaners

DeLaval's premium cluster cleaners self support most cluster types without the need for a claw bracket.

With the choice of two seal sizes, both large or small head liners can be washed without damage to the liner mouthpiece or head. This is particularly important for the Harmony range of soft-lip liners.

Cleaning valve actuator

Install a cleaning valve actuator to automate the cleaning valve on your rotary installation. Simply connect the wash line to the platform, switch on your controller and the actuator valve closes the cleaning valve beside the receiver without having to go into the centre of the platform.

Herringbone Solutions:

DeLaval rubber cup jettors

DeLaval rubber cup jettors are fitted with a unique check valve mechanism and four adjustable flow settings to allow the correct flow of wash water regardless of the cleaning vacuum.

These jettors are mounted overhead which helps keep them clean. They are mounted onto the cleaning line with an optional swing down arm to make preparing for washing easier.

Swing-down wash line

A strong and durable solution that stores jettors out of the way, and saves time and effort when preparing the shed for cleaning.

Staff find that they have less ‘arm strain’ when attaching or detaching the clusters as they are at a more comfortable height than overhead jettors.



The DeLaval Cleaning Unit C200 helps ensure that the essential factors : water temperature, detergent, turbulence and cleaning duration are automatically controlled in a consistent way, every wash.

Solve your cleaning system problems

The DeLaval Cleaning Unit C200 is adjustable to every farmer's needs, no matter how large or small the shed, because every farmer has a different milking system and therefore needs a tailored cleaning system.

When coupled with the optional trombone super wash, cleaning turbulence is maximised, resulting in less water and detergent usage, saving you time and money.

Optional extras:

Automatic drainage system

Allows the plant to drain automatically drain, saving time.

Extra suction pipe kit

Increases cleaning capacity for large milking plants.

Water recycling valve kit

Allows collection of wash water for re-use in other purposes, e.g. yard washing.

DeLaval Cleaning Unit C200:

Easy to use – push the button and the unit will automatically and consistently clean your shed, regardless of who is performing the wash.

Automatic liquid dosing – more accurate detergent measurement, and makes detergent dispensing safer.

Electronically controlled – optimises and automates cleaning settings to suit your individual milking system.

Built in alarms - to safeguard your cleaning routine, just in case something is not right.

Flushing pulsation – promotes better water flow and decreases water and detergent usage.



Having enough water at the right temperature is critical to maintaining a clean milking system.

DeLaval wash tanks are purposely designed to be space saving whilst meeting all safety regulations.

DeLaval stainless steel wash tank

Seen as the best wash tank available, this tank has been built to last from high grade stainless steel and has a compact footprint and low overall height to fit underneath large hot water cylinders.

User friendly features such as the sliding lids, easy clean suction filters, multiple pump connections and pre-pressed suction holes make this tank a versatile preference.

Three sizes are available (400L, 600L & 800L) to ensure even the largest dairies will have sufficient volumes of cleaning water.



DeLaval plastic wash tank

The DeLaval wash tank plastic is moulded in medium density blue polyethylene. Chemical resistant and specifically designed for holding 85°C water, it easily fits under the hot water cylinder.

The compact design allows easy inspection through the screw in 200mm breather lids. A sight tube is also fitted to assist the farmer in monitoring water levels.

The tank is available in three sizes (300L, 450L & 600L) with an adjustable stainless steel support frame for fitting onto sloping floors.

